

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
NIJ4 rated and provide 360° protection from 7.62mm ammunition
Height 2.5 m

GTP-2 MOBILE GUARD TOWER



The GTP-2 Guard Tower is manufactured with four separate wall units that allow for quick and easy assembly on top of a standard Conex Box. Once placed on the Conex Box the Guard Tower will be approximately 12 feet in the air giving the guards a greater view of the perimeter or area of threat. Once in position, the walls are filled from the top using sand as ballast. The sand filled walls provide the guards inside with 360 degrees of protection from 9mm, 5.56, and 7.62 threats. 12" dumps are provided for easy removal of the ballast allowing the Guard Tower to be repositioned as needed.

The overhead cover is 3/4" plywood on which lights, sensors, and antenna can be installed if desired. Access to the cover can be reached through a hatch type door that is pre-installed for convenience. The GTP-2 Guard Tower eliminates the time and the mess associated with using sandbags. This product is a recoverable asset that can be broken down and deployed inside the Conex Box for reloaction or storage.





Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
NIJ4 rated and provide 360° protection from 7.62mm ammunition
Height 2.5 m

GTP-2 MOBILE GUARD TOWER



The GTP-2 Guard Tower and all parts and tools needed for assembly are included in the kit bag. Stakes are also provided for the Concertina Wire installation. The standard colors for the Portable Guard Tower are Olive Drab or Desert Tan; however, all colors are available upon request. There is also an optional wind/rain/visibility Shield available in Olive Drab and Desert Tan.

Wind screen attaches with Velcro.

The Portable Guard Tower can be ordered in various configurations as listed below

Easy removal of the ballast allows the Guard Tower to be repositioned as needed.



OPTION 1 straight Ladder only



OPTION 1 straight Ladder/ Walkthru



OPTION 1 bolt on Stairs/ Walkthru





Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
NIJ4 rated and provide 360° protection from 7.62mm ammunition
Height 2.5 m

GTP-2 MOBILE GUARD TOWER



GTP-2 is available in 3 different options for accessing the Guard Tower:

Ladder only

Ladder attached on non-threat side of Guard Tower. When accessing the Guard Tower, you will climb to the top of the ladder and crawl over the top. (Shown in photo below)





Ladder with Walk Through

Ladder attached on non-threat side of Guard Tower on one side of Walk Through opening in wall. When accessing the Guard Tower, you will climb most of the way up the ladder and step into the Guard Tower through the opening in the one side wall. Note, the Walk Through is typically in the long wall (LEFT IMAGE), but can be ordered in short wall (RIGHT IMAGE) if required.



Angled Stairs with Walk Through

Stairs are attached on non-threat side of Guard Tower to the Walk Though opening in the wall. When accessing the Guard Tower, you will walk up the stairs and step into the Guard Tower through the opening in the one side wall. Note, the Walk Through is typically in the long wall, but can be ordered in short wall if required.





Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
NIJ4 rated and provide 360° protection from 7.62mm ammunition
Height 2.5 m

GTP-2 MOBILE GUARD TOWER



The Portable Guard Tower can be ordered in various configurations as listed below:

- Guard Tower only
 Can be placed on the ground or on top of a TriCon Container that you supply. Will be shipped on skid.
- Guard Tower with TriCon Container Guard Tower will be shipped inside
 TriCon Container with all tools for installation.
- Complete Guard Tower with TriCon Container Guard Tower will be shipped inside TriCon Container with all tools for installation, razor wire and wire installation kit. The Wire Installation Kit includes a Fence Driver, 25 5-foot stakes, and 25 7-foot stakes.

| Part No. | Item | Color | Size | Weight |
|---------------|--------------------------------|------------|-------------------------|-----------|
| GTP-2-OD-GT | Guard Tower | Olive Drab | W 4' x H 8' x L 8' | 1800 lbs. |
| GTP-2-DT-GT | Guard Tower | Desert Tan | W 4' x H 8' x L 8' | 1800 lbs. |
| GTP-2-OD-GTCB | Guard Tower w/TriCon Container | Olive Drab | W 8' x H 8' x L 6' 5.5" | 4400 lbs. |
| GTP-2-DT-GTCB | Guard Tower w/TriCon Container | Desert Tan | W 8' x H 8' x L 6' 5.5" | 4400 lbs. |
| GTP-2-OD | Complete Guard Tower Unit | Olive Drab | W 8' x H 8' x L 6' 5.5" | 5000 lbs. |
| GTP-2-DT | Complete Guard Tower Unit | Desert Tan | W 8' x H 8' x L 6' 5.5" | 5000lbs |

OPTIONS

| Part No. | Item | Color |
|---------------|-----------------------------|------------|
| GTP-2-OD-WRVS | Wind/rain/visibility Shield | Olive Drab |
| GTP-2-DT-WRVS | Wind/rain/visibility Shield | Desert Tan |
| GTP-2-L | Ladder | |
| GTP-2-LWT | Walkthrough with Ladder | |
| GTP-2-SWT | Walkthrough with Stairs | |
| GTP-2-WRK | Wood Replacement Kit | |

