



PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
NIJ4 rated and provide 360° protection from 7.62mm ammunition
Height 2.5 m


GTP-4 MOBILE COMMAND GUARD TOWER



The GTP-4 Command Guard Tower includes one Guard Tower & two Conex Boxes.

The Guard Tower itself is manufactured with six separate wall units that allow for quick and easy assembly on top of the standard Conex Boxes. Once placed on the Conex Boxes, the Guard Tower will be approximately 13 feet (4 meters) in the air, giving the guards a greater view of the perimeter or area of threat. Once in position, the walls are filled from the top using sand as ballast. The sand filled walls provide the guards inside with 360 degrees of protection from 9mm, 5.56 and 7.62 threats. 12" dumps are provided for easy removal of the ballast allowing the Guard Tower to be repositioned as needed.

The overhead cover is 3/4" plywood on which lights, sensors, and antennae can be installed if desired. Access to the cover can be reached through a hatch type door that is pre-installed for convenience. The CBP Command Guard Tower eliminates the time and the mess associated with using sandbags. This product is a recoverable asset that can be broken down and deployed inside the Conex Boxes





PHALANX[®]


Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
NIJ4 rated and provide 360° protection from 7.62mm ammunition
Height 2.5 m

GTP-3 MOBILE COMMAND GUARD TOWER



GTP-3 is available in 3 different options for accessing the Guard


Ladder only

Ladder attached on non-threat side of Guard Tower. When accessing the Guard Tower, you will climb to the top of the ladder and crawl over the top. (Shown in photo below)



Ladder with Walk Through

Ladder attached on non-threat side of Guard Tower on one side of Walk Through opening in wall. When accessing the Guard Tower, you will climb most of the way up the ladder and step into the Guard Tower through the opening in the one side wall. Note, the Walk Through is typically in the long wall but can be ordered in short wall (RIGHT IMAGE) if required.



Angled Stairs with Walk Through

Stairs are attached on non-threat side of Guard Tower to the Walk Through opening in the wall. When accessing the Guard Tower, you will walk up the stairs and step into the Guard Tower through the opening in the one side wall. Note, the Walk Through is typically in the long wall, but can be ordered in short wall if required.



PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX GTP Series Portable Guard Towers

PHALANX GTP Portable Guard towers
 NIJ4 rated and provide 360° protection from 7.62mm ammunition
 Height 2.5 m

GTP-3 MOBILE COMMAND GUARD TOWER



Part No.	Item	Color	Size	Weight
GTP-4-OD	Command Guard Tower Only	Olive Drab	W 8' x H 8' x L 13'	1800 lbs.
GTP-4-DT	Command Guard Tower Only	Desert Tan	W 8' x H 8' x L 13'	1800 lbs.
GTP-4-OD-2TC	Guard Tower w/2 TriCon Container	Olive Drab	W 8' x H 8' x L 13'	7000 lbs.
GTP-4-DT-2TC	Guard Tower w/TriCon Container	Desert Tan	W 8' x H 8' x L 13"	7000 lbs.
GTP-4-OD	Complete Guard Tower Unit	Olive Drab	W 8' x H 8' x L 13'	7500 lbs.
GTP-4-DT	Complete Guard Tower Unit	Desert Tan	W 8' x H 8' x L 13	7500lbs

OPTIONS

Part No.	Item	Color
GTP-4-OD-WRVS	Wind/rain/visibility Shield	Olive Drab
GTP-4-DT-WRVS	Wind/rain/visibility Shield	Desert Tan
GTP-4-WRK	Wood Replacement Kit	