



PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX[®] HT Series High Threat Wall Protection System

PHALANX HT Series is a high profile ultra threat wall providing maximum blast protection
Height 2.4 meters



PHALANX HT Series

Phalanx Safety Perimeter HT Security Products are designed to be scalable, modular and adapt to changing threat levels in Forward Operating Bases, camps and asset protection. Phalanx Safety Perimeter Security Products are designed and tested to meet and exceed the protection level of its given threat. Phalanx Safety Systems are long lasting and recoverable and will not deteriorate over time. There are no bags to fill, no loose parts to keep up with and the individual components are easy to move and re-configure as needed.

Massive structural design with 12500 lbs of sand ballast provides exceptional impact and blast protection for small or wide area protection. Use at any location where there may be blast mitigation concerns. HT barricades are designed to catch shrapnel and eliminate rebound and ricochet. Can be used for surge protection and preventative soil erosion.



STANDARD COLORS

Tan Granite, Grey Granite, Desert Tan and Olive Drab. Desert Tan color makes a great blend with other structures while still providing the maximum blast protection using sand for ballast. Other standard colors are available upon request.



PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX[®] HT Series Blast Wall Protection System

PHALANX HT Series is a high profile ultra threat wall providing maximum blast protection
Height 2.4 meters

PHALANX HT Series

High Threat HT Series Barricade is an impressive 8 feet tall, 7 feet long with a 4 foot wide base. Barricades allow set up crews to build a positive perimeter wall protection system for forward operating bases, containment centers and quarantine toxic areas in local or remote locations. The use of 90 degree corner elements transforms perimeter into channeling vehicle access zones and controlled passage ways.

No heavy equipment is necessary to install and set up the barricades. HT barricades have fork lift access for quick relocation or use the built in evacuation ports for quick dispersment of contents allowing manual intervention. Barricade is made of single piece design and is therefore maintenance free with no need of paint and no metal to rust and it can be repositioned as threat level changes occur.

Tested with "Indirect Heavy Fire Mortar"



HTC CORNER

Phalanx High Threat Barricade Corner Element is 8 feet tall with a 42 inch wide base. This 8 ft tall barricade corner is used to make continuous 90 degree corners when attaching to HT Series Barricade walls.





PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX[®] HT Series Blast Wall Protection System

PHALANX HT Series is a high profile ultra threat wall providing maximum blast protection
Height 2.4 meters



PHALANX High Threat barricades with GTP Series Guard Tower Post

GTP-1 Rapid deployable Guard Tower for Military Checkpoints, Dock Security, and Border Patrol Operations. The ballistic panels surrounding the Guard Tower are NIJ4 rated and provide 360° protection from 7.62mm ammunition.





PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX[®] H Series Blast Wall Protection System

PHALANX U Series is a high profile ultra threat wall providing maximum blast protection
Height 2.4 meters

SPECIFICATIONS

HTC High Threat Barricade Corner Element is 8 feet tall with a 42 inch wide base. This 8 ft tall barricade corner is used to make continuous 90 degree corners when attaching to HT Series Barricade walls.



The Phalanx Safety High Threat Barricade is 8 feet tall by 7 feet long with a structural design to accommodate structural design 12500 lbs of sand ballast.

No heavy equipment is necessary to install the barricade and it can be repositioned when threat changes occur. This product is ideal for impact and blast protection for military camps, airfields, hospitals and even surge protection and preventative soil erosion. Use at any location where there may be blast mitigation concerns. HT barricades are designed to catching shrapnel and eliminating rebound and ricochet. Tested with "Indirect Heavy Fire Mortar"

Colors: Desert Tan and Olive Drab

Part No.	Color	Size	Weight Empty	Weight w/sand
HT-B8-TG	Tan Granite	8 ft tall x 4 ft wide x 7 ft long	450 lbs. / 204 kgs	12500 lbs. /5670 kgs
HT-B8-GG	Grey Granite	8 ft tall x 4 ft wide x 7 ft long	450 lbs. / 204 kgs	12500 lbs. /5670 kgs
HT-B8-DT	Desert Tan	8 ft tall x 4 ft wide x 7 ft long	450 lbs. / 204 kgs	12500 lbs. /5670 kgs
HT-B8-OD	Olive Drab	8 ft tall x 4 ft wide x 7 ft long	450 lbs. / 204 kgs	12500 lbs. /5670 kgs
HTC-B8-DT	Desert Tan	8 ft tall x 42" wide x 42" tall	250 lbs. / 114 kgs	6250 lbs. / 2835 kgs



PHALANX[®]

Wide Area Protection SYSTEMS

Hostile Vehicle Mitigation

PHALANX[®] H Series Blast Wall Protection System

PHALANX U Series is a high profile ultra threat wall providing maximum blast protection
Height 2.4 meters



PHALANX Razor Wire

As an added level of security, razor wire can be attached to the top of the barricade discouraging unauthorized access. W

Phalanx Safety Security offers 18 inch diameter coils x 50 ft long (15 meters) barbed tape concertina wire. Typical coils of Concertina wire are galvanized with NATO short barbs. Stainless steel barbs and wire are available as an option.

As an option we offer the following
Razor blades:

- NATO Short blade
- Medium blade
- Long blade
- Detainer blade



Part No.	Description	Weight	Shipping Size
HT-R18X50W	18" Diameter x 50' Long Concertina Wire	20 lbs.	18" x 18" x 22" (shipped 2 per box)
HT-R18BKT	18" Concertina Bracket	5 lbs.	6" x 3" x 18"
HT-RCWBKTKIT	C-Wire Kit (include 1- 50' coil + 8 Brackets)	60 lbs.	18" x 18" x 22" (shipped 2 per box)